


Product: Texoflex AL Stretch



Texoflex AL Stretch is semi flexible duct made of single layer corrugated aluminium Al 99,5 resistant to moisture.

Application:

Texoflex AL Stretch is for installation into the existing or new ventilation systems and ventilation of wet environments. Due to transport and dimensional stability the duct can be compressed to approx. 1/3 of its length.

Product construction:

The product Flexible duct „Texoflex AL Stretch“ include the following components:

- Single Layer of Aluminium

Properties:

Good flexibility
Good compression

Specification:

Product code: given in the table bellow,
Temperature range: from -30° C to +200° C,
Diameters: from 80 mm to 200 mm,
Standard lengths: 2 m and 3 m

PRODUCT TECHNICAL SPECIFICATION



Table: Ordering information


Product code	Product name	Dia.	L	Pallet dimension	Pcs per box	Boxes per pallet	EAN Code	Product code Tower A.
		mm	m	cm				
TALSB080/2	Texoflex AL Stretch B - dia. 080 mm x 2 m	80	2	80x120	1	352	8605065437222	PCF-SEMI080-2M
TALSB090/2	Texoflex AL Stretch B - dia. 090 mm x 2 m	90	2	80x120	1	352	8605065437239	PCF-SEMI090-2M
TALSB100/2	Texoflex AL Stretch B - dia. 100 mm x 2 m	100	2	80x120	1	252	8605065437246	PCF-SEMI100-2M
TALSB110/2	Texoflex AL Stretch B - dia. 110 mm x 2 m	110	2	80x120	1	252	8605065437253	PCF-SEMI110-2M
TALSB120/2	Texoflex AL Stretch B - dia. 120 mm x 2 m	120	2	80x120	1	150	8605065437260	PCF-SEMI120-2M
TALSB125/2	Texoflex AL Stretch B - dia. 125 mm x 2 m	125	2	80x120	1	150	8605065437277	PCF-SEMI125-2M
TALSB130/2	Texoflex AL Stretch B - dia. 130 mm x 2 m	130	2	80x120	1	150	8605065437284	PCF-SEMI130-2M
TALSB140/2	Texoflex AL Stretch B - dia. 140 mm x 2 m	140	2	80x120	1	108	8605065437291	PCF-SEMI140-2M
TALSB150/2	Texoflex AL Stretch B - dia. 150 mm x 2 m	150	2	80x120	1	108	8605065437307	PCF-SEMI150-2M
TALSB160/2	Texoflex AL Stretch B - dia. 160 mm x 2 m	160	2	80x120	1	108	8605065437314	PCF-SEMI160-2M
TALSB170/2	Texoflex AL Stretch B - dia. 170 mm x 2 m	170	2	80x120	1	108	8605065437321	PCF-SEMI170-2M
TALSB180/2	Texoflex AL Stretch B - dia. 180 mm x 2 m	180	2	80x120	1	88	8605065437338	PCF-SEMI180-2M
TALSB190/2	Texoflex AL Stretch B - dia. 190 mm x 2 m	190	2	80x120	1	70	8605065437345	PCF-SEMI190-2M
TALSB200/2	Texoflex AL Stretch B - dia. 200 mm x 2 m	200	2	80x120	1	70	8605065437352	PCF-SEMI200-2M

Product code	Product name	Dia.	L	Pallet dimension	Pcs per box	Boxes per pallet	EAN Code	Product code Tower A.
		mm	m	cm				
TALSB080/3	Texoflex AL Stretch B - dia. 080 mm x 3 m	80	3	80x120	1	240	8605065437369	PCF-SEMI080-3M
TALSB090/3	Texoflex AL Stretch B - dia. 090 mm x 3 m	90	3	80x120	1	240	8605065437376	PCF-SEMI090-3M
TALSB100/3	Texoflex AL Stretch B - dia. 100 mm x 3 m	100	3	80x120	1	170	8605065437383	PCF-SEMI100-3M
TALSB110/3	Texoflex AL Stretch B - dia. 110 mm x 3 m	110	3	80x120	1	170	8605065437390	PCF-SEMI110-3M
TALSB120/3	Texoflex AL Stretch B - dia. 120 mm x 3 m	120	3	80x120	1	120	8605065437406	PCF-SEMI120-3M
TALSB125/3	Texoflex AL Stretch B - dia. 125 mm x 3 m	125	3	80x120	1	120	8605065437413	PCF-SEMI125-3M
TALSB130/3	Texoflex AL Stretch B - dia. 130 mm x 3 m	130	3	80x120	1	120	8605065437420	PCF-SEMI130-3M
TALSB140/3	Texoflex AL Stretch B - dia. 140 mm x 3 m	140	3	80x120	1	72	8605065437437	PCF-SEMI140-3M
TALSB150/3	Texoflex AL Stretch B - dia. 150 mm x 3 m	150	3	80x120	1	72	8605065437444	PCF-SEMI150-3M
TALSB160/3	Texoflex AL Stretch B - dia. 160 mm x 3 m	160	3	80x120	1	72	8605065437451	PCF-SEMI160-3M
TALSB170/3	Texoflex AL Stretch B - dia. 170 mm x 3 m	170	3	80x120	1	50	8605065437468	PCF-SEMI170-3M
TALSB180/3	Texoflex AL Stretch B - dia. 180 mm x 3 m	180	3	80x120	1	50	8605065437475	PCF-SEMI180-3M
TALSB190/3	Texoflex AL Stretch B - dia. 190 mm x 3 m	190	3	80x120	1	50	8605065437482	PCF-SEMI190-3M
TALSB200/3	Texoflex AL Stretch B - dia. 200 mm x 3 m	200	3	80x120	1	50	8605065437499	PCF-SEMI200-3M

PRODUCT TECHNICAL SPECIFICATION

Packaging information:

L = the position of the label in the upper left corner, straight to the edges



Maximum pallet height: 2,80 m

Label: White color, 70x90mm

